


Cyclomotion

Product Information and Prices



Cyclomotion

Contents

| | |
|--------------------------------------|----------|
| Cyclomotion | 3 |
| Order numbers and list prices | 3 |
| Scope of delivery | 3 |
| Product features and functions | 4 |
| Mechanical data | 5 |
| Electrical data | 5 |
| Performance data | 5 |
| Dimension definition | 6 |
| - Accessories | 7 |


Product Information and Prices



Cyclomotion

Watchwinder

- Cyclomotion: without protective cover
- Cyclomotion pro: with protective cover



Order numbers and list prices

| Cyclomotion | Without clip | With clip for 12 watches | With clip for 24 watches |
|------------------------------|--------------|--------------------------|--------------------------|
| Order number 110 - 240 V~ | 1035171 | 1035171 + 6 x 1035190 | 1035171 + 6 x 1035192 |
| List price | 1.420,00 € | 1.720,00 € | 1.900,00 € |
| Cyclomotion pro | Without clip | With clip for 12 watches | With clip for 24 watches |
| Order number 110 - 240 V~ | 1035170 | 1035170 + 6 x 1035190 | 1035170 + 6 x 1035192 |
| List price | 2.680,00 € | 2.980,00 € | 3.160,00 € |

The prices indicated are net prices ex works, excluding transport costs, insurance, customs duties and taxes.

Scope of delivery

| Cyclomotion, Cyclomotion pro: |
|----------------------------------|
| • Cyclomotion or Cyclomotion pro |
| • Power supply unit |
| • Operating manual |

Technical specifications serve as orientation values and are subject to tolerances due to production and manufacturing. Proper operation can only be guaranteed when using original Elma devices.

Cyclomotion

Product features and functions

- | |
|---|
| • Powerful, low-noise motor with integrated slipping clutch and holding torque (in standby mode) |
| • Speed adjustable: 1 rpm or 4 rpm for endurance tests and fast winding of watches |
| • Direction of rotation adjustable: clockwise, counterclockwise and clockwise / anticlockwise by changing the direction of rotation |
| • Individually selectable bracket combination enables simultaneous winding of movements wound on one side as well as on both sides |
| • Cyclomotion pro with lockable protector hood, provides additional protection against dust and mechanical impact |

Cyclomotion

Mechanical data

| Cyclomotion | Unit | Without clip | With clip for 12 watches | With clip for 24 watches |
|---|------|-----------------|--------------------------|--------------------------|
| Max. external dimensions Dia / D / H | mm | 250 / 410 / 330 | 400 / 485 / 330 | 470 / 520 / 330 |
| Weight | Kg | 11 | 11,5 | 12 |
| Max. load per watch holder | g | -- | 180 | 180 |

| Cyclomotion pro | Unit | Without clip | With clip for 12 watches | With clip for 24 watches |
|---|------|-----------------|--------------------------|--------------------------|
| Max. external dimensions Dia / D / H | mm | 555 / 595 / 330 | | |
| Weight | Kg | 16 | 16,5 | 17 |
| Max. load per watch holder | g | -- | 180 | 180 |

Electrical data

| | Unit | Cyclomotion | Cyclomotion pro |
|--------------------------|------|-------------|-----------------|
| Mains voltage $\pm 10\%$ | V~ | 100 - 240 | |
| Mains frequency | Hz | 50 / 60 | |



Performance data

| | Unit | Cyclomotion | Cyclomotion pro |
|-------------------------|------|-------------|-----------------|
| Total power consumption | W | 24 | |
| Revolutions radial | rpm | 1 / 4 | |
| Revolutions axial | rpm | 4,5 / 18 | |



Cyclomotion

Dimension definition

Cyclomotion



Cyclomotion pro



The drawings are meant as a visualization aid and are not true to scale.

Technical specifications serve as orientation values and are subject to tolerances due to production and manufacturing. Proper operation can only be guaranteed when using original Elma devices.

Cyclomotion - Accessories

Order numbers and list prices

| Accessories | Watch clip for 2 watches with straps | | Watch clip for 4 watches with straps | | Industrial clip for 4 watches without straps | Watch box for 4 watches without straps | Wall mounting device |
|--------------|---|---------|---|---------|--|--|-------------------------|
| Order number | 1035190 | 1035359 | 1035192 | 1035360 | 1035361 | 1053528 | 1035701 |
| List price | 50,00 € | 50,00 € | 80,00 € | 80,00 € | 80,00 € | 130,00 € | 72,00 € |

The prices indicated are net prices ex works, excluding transport costs, insurance, customs duties and taxes.

Mechanical data

| Accessories | Unit | Watch clip for 2 watches with straps | | Watch clip for 4 watches with straps | | Industrial clip for 4 watches without straps | Watch box for 4 watches without straps | Wall mounting device |
|---------------------------------------|------|---|---------------|---|---------------|--|--|-------------------------|
| Max. external dimensions W / D / H | mm | 130 / - / 85 | 130 / - / 125 | 130 / - / 75 | 130 / - / 115 | 80 / - / 120 | 145 / 135 / 40 | 80 / 90 / 145 |
| Watch length | mm | 165 - 205 | 165 - 205 | 165 - 205 | 165 - 205 | -- | -- | -- |
| Max. watch diameter | mm | -- | -- | -- | -- | -- | 43,0 | -- |
| Max. load per watch holder | g | 180 | 180 | 180 | 180 | 180 | 180 | -- |
| With left / right elevator | mm | | • | | • | | | |





Technical specifications serve as orientation values and are subject to tolerances due to production and manufacturing. Proper operation can only be guaranteed when using original Elma devices.

Cyclomotion - Accessories

Dimension definition







Watch clip

for 2 watches with straps



Watch clip

for 4 watches with straps



The drawings are meant as a visualization aid and are not true to scale.


Technical specifications serve as orientation values and are subject to tolerances due to production and manufacturing. Proper operation can only be guaranteed when using original Elma devices.

Cyclomotion - Accessories

Dimension definition


Industrial clip

for 4 watches without straps




Watch box

for 4 watches without straps



Wall mounting device



The drawings are meant as a visualization aid and are not true to scale.

Technical specifications serve as orientation values and are subject to tolerances due to production and manufacturing. Proper operation can only be guaranteed when using original Elma devices.